



MINISTRY OF HEALTH
PHARMACY AND POISONS BOARD

Telegram: "MINHEALTH" Nairobi
Telephone: 020-2716905/6, 020-3562107
Cellphone: 0733-884411/0720 608811
Fax: 2713409
Email: admin@pharmacyboardkenya.org
Website: www.pharmacyboardkenya.org

Pharmacy & Poisons Board Hse
Along Lenana Road
P. O. Box 27663-00506
NAIROBI

When replying please quote our ref No:
PPB/GMP/F/2023/203

CERTIFICATE OF GOOD MANUFACTURING PRACTICES

On basis of the desk review carried out on **26th to 27th May 2023**, we certify that the site indicated on this certificate complies with current Good Manufacturing Practices for dosage forms, categories and activities listed in Table 1.

1. Name and physical address of site: **West-Coast Pharmaceutical Works Ltd** situated at Nr Bhagwati Glass Factory, Opp. Jogni Mata Temple, Denis Chem Lab Vadaswami Side Rd, Ambavpura – Vadavswami Rd, Village: Vadaswami, Taluka: Kalol, Gujarat, India
2. Manufacturer's license Number: **G/25/2608 & G/28/1894**

Table 1:

Dosage Form	Category	Activity
Oral Solid Dosage Forms	General Products: Tablets, Capsules, Dry Powder and Sachets Hormones: Tablets, Hard Gelatin Capsules	All manufacturing activities
Oral Liquids Dosage forms	General Products: Syrups, Suspensions & Oral Solutions	
External Preparations	General Products: Cream, Ointment, Solution, External Powder and Disinfectant Hormones: External cream, ointment & Gel	

The responsibility for the quality of the individual batches of the pharmaceutical products manufactured lies with the manufacturer/applicant.

This certificate remains valid until **26th May, 2026**. It becomes invalid if the dosage forms, activities and/or categories certified herewith are changed or if the site is no longer considered to be in compliance with cGMP.


Dr. A. Mohamed

For: CHIEF EXECUTIVE OFFICER

REGISTRAR
PHARMACY AND POISONS BOARD
MINISTRY OF HEALTH
P. O. Box 27663 - 00506, NAIROBI
Stamp and date: **3/7/2023**

Note:

1. This certificate certifies the status of the site listed in point 1 of the certificate
2. This certificate shall remain valid for a period of 3 years from the date of issue, but can be revoked at any time if the facility no longer complies with the current EAC GMP regulations.

there is evidence that